



Chemical Hazards in Arts

Dave Waddell
 Art Hazards Project Manager
waddellenviro@yahoo.com
 206-679-7984



Dose and response

- Small dose, big impact
- Adverse effects compared to “normal”



Effects of size on response



Photo © Michelle Riggan-Ransom – Attribution licensed at
www.flickr.com/photos/rigganransom/4868969263/

We're constantly chemically exposed

- Flame retardants
- Bisphenol A
- Phthalates
- Diesel exhaust
- Wood smoke
- Fragrances
- Food additives

Source: *Center for Disease Control*

King County photo by Sue Hamilton

Our bodies can handle a lot, given the chance

Avoid those exposures you can...

Photo © Greg Westfall. Used within rights expressed at www.flickr.com/photos/imagesbywestfall/3890281501/

Routes of exposure

Inhalation is easiest route of exposure
Acids, dusts and solvents

Swallow It

Breathe It

Touch It
Inject It

Photos by Petr Kratochvil- Public domain

Photo by Linda James -Public domain

Understanding solvents

Solvents evaporate

- Dissolve and deliver/remove materials
- Evaporation rate = volatility
- VOC = volatile organic compound


Solvents can be flammable or toxic

Lacquer thinner's the most hazardous

Turpentine is more toxic, more volatile and more flammable than mineral spirits

Gamsol is pure with no toxic aromatic solvents When evaporated there's no residue

Safer isn't the same as safe



Pure Citrus Solvent

Allergen
Skin Sensitizer
Combustible

Corrosive compounds in the arts

- Photochemistry
- Intaglio printmaking
- Glass etching
- Patination of metals
- Pickling of metals

Hazardous liquids require splash goggles Jackson Safety V-80 Monogoggle

Photo © Perfecto insecto. Used within rights expressed at <http://www.flickr.com/photos/perfectoinsecto/2835340516/>

Eye washes required near corrosives

- 0.4 gallons a minute for 15 minutes
- Hands-free
- Tepid water

Available from
Grainger and others
for under \$100



King County photo by Dave

Public domain:
www.acclaimimages.com/gallery/print_pages/0420-1007-3011-

Photographic stop baths

- Acetic acid vapors
- Sodium sulfite contamination from developer

Acids in intaglio printmaking

- Ferric chloride
 - Burns skin and eyes on contact
- Hydrochloric acid
 - Vapors burn skin, eyes, lungs
- Nitric acid - Bad news

Photo © Hunter-Desportes. Used within rights expressed at <http://www.flickr.com/photos/hdport/2814969292/>

Nitric acid for zinc plates

Corrosive, oxidizer, toxic

Nitric Acid Toxicity

- Highly toxic orally
- Fuming nitric acid – red color
- Inhalation of vapors
 - Intense irritation
 - Feel better for awhile
 - Then depressed lung function, coma, death

Glass etching compounds



Photo: © Styro Cait. Used within rights expressed at www.flickr.com/photos/styro22411852/




Photo: ©Dave Waddell – Used with permission

Hydrofluoric acid (HF)

Absorbs quickly through skin

- Anesthetic
 - Bone disintegration
 - Extreme pain
 - Gangrene, amputation
 - 250 mls = death
 - Used as toilet stain remover
- Mix Armour Etch
with water
You get hydrofluoric
acid

©American Society for Surgery of the Hand
www.eatonhand.com/complic/figures/hfl.htm

Patinas

Many recipes to choose from

Liver of sulfur

- Releases poisonous sulfide gas when acidified
- Requires good local ventilation
- Keep off skin

King County photos by Dave Waddell

Applying acid patina

- Hydrochloric acid
- Phosphoric acid
- Selenious acid
- Nitric acid

Black patina - selenious acid

- Corrosive
- Very poisonous
- Absorbs directly through skin
- Easily inhaled vapors can cause pulmonary edema/coma

Toxic metals

- Many pigments contain ground metals
- Some of these are quite toxic
- Inhalation is usually the route of concern

Antimony



- Inhalation can harm lungs, heart, enzymes
- Ingestion can cause kidney damage, respiratory failure
- Skin contact can cause ulcers
- Naples yellow 41
- Antimony white 11

Arsenic



- Corrosive to skin
- Damages nervous system, kidneys, mucous membranes
- Skin, bone marrow, lung cancer
- English, Paris, Veronese, Schweinfurt greens
- Cobalt violet
- Emerald green
- Green 21, 22
- Scheele's green
- Yellow 39

Photo © http://jancustensenworld.files.wordpress.com/2010/03/450px-paris_green.jpg

Cadmium



- Poison by inhalation, ingestion
- Internal organ damage
- Lung and prostate cancer
- Cadmium red
- Cadmium orange
- Cadmium yellow
- Red 108, 113
- Orange 20, 23
- Yellow 37

Chromium



- Lung damage
- Skin and respiratory irritant
- Carcinogen
- Barium chromate
- Lead chromate
- Strontium chromate
- Zinc chromate
- Chromic oxide
- Chromic sulfate

Image © www.naturalpigments.com/chrome-yellow-medium.html

Cobalt



- Inhalation linked to asthma, fibrosis
- Ingestion linked to heart damage
- Animal carcinogen
- Dryer in inks
- Cobalt blue
- Cobalt violet
- Aureolin
- Cobalt yellow
- Cerulean blue

Lead



- Toxic by inhalation, ingestion
- Nervous system damage
- Reproductive toxin
- Children are more at risk
- Flake white
- Lead white
- Naples yellow
- Chrome yellow
- White #2, 4
- Red #103, 104, 105
- Orange 21, 45
- Yellow 34, 46
- Green 15

Manganese



- Irritant to eyes, lungs
- Chronic inhalation causes nervous system disorder that resembles Parkinson's disease
- Dryer in inks
- Raw/burnt umber
- Manganese blue, violet
- Red 48
- Blue 33
- Violet 16
- Black 14, 26

Mercury




- Toxic by inhalation, skin contact, ingestion
- Nervous system damage
- Vermillion
- Cinnabar
- Mercadium colors
- Red #106

Nickel



- Skin allergies/eczema
- Pulmonary edema
- Carcinogen by inhalation
- Nickel yellow
- Nickel titanate
- Titanium yellow
- Rutile yellow
- Yellow 53, 57, 150
- Green 10

Labels are helpful!



King County photo by Dave Waddell

1988 Labeling of Hazardous Art Materials Act

- Requires manufacturers to list potentially harmful substances in paint products
- “Trade secrets” lets some withhold potentially important information from the customer
- For instance, if there’s under one percent formaldehyde, it may not be listed on the label




Potentially safer products

- **AP** or **CP** Sticker (approved)
 - Evaluated by a toxicologist
 - Not considered toxic
 - Fewer acute or chronic risks
- Look for word “Non-Toxic”



Photos: Dave Waddell

Caution label



- Evaluated for health risks
- Info on safe & proper use
- Common constituents:
 - Toxic metals like lead & cadmium



Photos: Dave Waddell

Avoid products with this warning




Label your secondary containers
Name and main hazard

Limitations on labels


- Risks evaluated for 25 year old, 180 lb man
- Not all hazards are chemical-based
- Sensitivities and susceptibilities vary
- Your knowledge is only as good as the label

Beware of greenwashing!

Note the happy face




Back of aerosol can



"1,1,1-Trichloroethane is an Class 1 Ozone Depleting Substance under Section 602 of the Clean Air Act."

Protecting artist's health and safety



MORE EFFECTIVE

Not using toxic stuff

Using less HAZARDOUS stuff

Sucking toxic vapors/dusts away

Barriers between toxic stuff and you

LESS EFFECTIVE

How much is getting on your piece? How much is entering your lungs?



Spray adhesive solvents
All are flammable, toxicity varies

Higher toxicity ↑

- Toluene
- Hexane
- Cyclohexane
- Acetone
- Heptane
- Petroleum naphtha
- Methylpentane

Lower toxicity ↓

Which should we choose?

Used with permission from <http://www.parmodels.com/>

Let's look at those cans

Avoid hexane + acetone combo!

- Powerful neurotoxin if inhaled or on skin
- Destroys nerve cells in extremities (hands/feet)
- Poor recovery from damaged nerves

Spray Adhesive Precautions

- Check the ingredients
- Avoid hexane & toluene
- Avoid breathing vapors
 - Outside upwind
 - Use a spray booth
- Use protective gloves
- Never with young kids

Hexane in
rubber cement
Heptane – safer
substitute

© <http://telltaleheartstudio.com> Used with permission

Toxic heavy metals

Encaustic pigments

- Avoid inhalation or contaminated clothing
- Avoid heavy-metal based pigments

No issues with solid wax

Water, oil & wax bind pigments

Let's look at ceramics

Clay dusts contain free silica

- Silicosis from inhaling silica over time

Work with wet clay to limit dust

The clay on those pants won't stay wet

Photo © Ewan.Traveler. Used within rights expressed at www.flickr.com/photos/ewan_traveler/2633864586/

Not the ways to clean up clay dust

Vacuuming? Use HEPA filters

Wet mop instead

Control dust contamination

Use moist microfiber mops & cloths for final pass

Kiln emissions

Photo © Robert S. Donovan. www.flickr.com/photos/booleansplit/2979169728/

Comparative toxicity

Volatility increases availability

Metal	Permissible exposure limit (mg/M ³)	Melting/boiling pt. °F
Arsenic	0.005	1502 / 1135
Cadmium	0.005	610 / 1409
Silver	0.01	1763 / 4013
Lead	0.05	621 / 3164
Cobalt	0.1	2723 / 5198
Selenium	0.2	423 / 1265
Barium	0.5	1337 / 2084
Chromium	1.0	3375 / 4842
Copper	1.0	1981 / 4653
Nickel	1.0	2647 / 4950
Manganese	5.0	2273 / 3564

- Low fire clay bisque: 1321–1458°F
 - Cadmium, lead and barium melt
 - Arsenic and selenium boil
- Low fire: 1750–2110°F
 - Lead and silver melt
 - Arsenic, cadmium, barium and selenium boil
- Mid and high range: 2124–2381°F
 - Lead, manganese and silver melt
 - Arsenic, cadmium, barium and selenium boil

Photo © knitgirl63. Attribution licensed at www.flickr.com/photos/knitgirl63/2963563278/

Protecting yourself from inhalation toxins

Select an N95 dust mask or respirator

Best methods


Half-mask cartridge respirator Local exhaust ducts

Best methods

Half-mask cartridge respirator Local exhaust ducts

Photo © Maria aka riackoff. Used within rights expressed at:
<http://www.flickr.com/photos/riackoff/2311123612/>

Local ventilation for toxic dusts/vapors



© Used with permission
<http://www.hi-molecularglass.com/gpage.html>

What about indoor air cleaners?

- Particles?
 - High efficiency (HEPA) filter
- Chemical vapors or fumes?
 - HEPA then charcoal filter
- Change filters when needed
- Balance cost/performance

Avoid ozone generators!

Ozone Generators

State of Alaska
Epidemiology



Bulletin

*Copies of any bulletin may be ordered by calling the Section of Epidemiology at (907) 269-8000
or by writing to us at PO Box 240249, Anchorage, Alaska 99524-0249*

**Bulletin No. 36
September 8, 1997**

Ozone Generators - Warning - Not For Occupied Spaces

Not all indoor air cleaning devices are alike, and certain types could cause health problems. Machines that purposefully produce ozone as an indoor air cleansing agent are currently on the market for residential use - these products should be avoided.

Local exhaust can be inexpensive

Homemade local exhaust option

Inexpensive but must still work properly.
Target flow rate is 100 linear feet/minute

Avoid crimps in ventilation ducts

Photo © Jaime Rojo. <http://www.brooklynstreetart.com/theblog/2011/11/03/street-artist-xam-architecture-for-the-city-bird/>

Some discipline-specific guidelines



OK, let's talk photochemistry

Common photography issues

- Exposure to toxic developers
- Lack of chemical eyewash near corrosives
- Improper disposal of waste fixer

Photo ©Istolethetv. Attribution licensed at <http://www.flickr.com/photos/istolethetv/3385751903/>

Amidol

- Highly toxic by inhalation - asthmagen
- Severe irritation and allergies to skin
- Absorbed through skin to blood stream

Catechin (catechol)

- Poison by inhalation
 - Convulsions, damages liver & kidneys
- Severe skin irritation and allergies
- Absorbed through skin
- Ingestion of one gram can be fatal

Photo ©Nesster. Used within rights expressed at <http://www.flickr.com/photos/nesster/5375201698/>

Hydroquinone

- Irritation and allergies from skin contact
- Toxic by ingestion
- Eye injuries

p-Phenylenediamine

- Highly toxic by all routes of exposure
- Severe skin allergies
- Inhalation can cause severe asthma
- Ingestion linked to nervous system damage

Reducing risks from developers

- Use premixed chemicals to avoid dusts
- Adequate ventilation (10-20 air changes/hour)
- Protect your skin

Photo ©Tom Hart. Used within rights expressed at <http://www.flickr.com/photos/thart2009/6161126958/>

Ceramics

Toxic metal exposure risks

Glaze mixing

Firing

Sanding

Sweeping

Leaching

Photo © Peter Stevens aka nordique: <http://www.flickr.com/photos/nordique/7348924478/>

Glazes

- Buy premixed to avoid dust
- This one says “Food Safe*”



Photo: Dave Waddell

Wait a minute

- What’s that symbol?



Read the labels carefully

Photo: Dave Waddell

Jewelry

Soldering and brazing hazards

Smoke is dust

Ultrafine particles

Deeply inhaled

Readily enter bloodstream

Photo © Joe Diels- <https://iilic.kzpu6TBIxY>

Hazardous metals of concern

- Lead
 - Neurotoxin
- Cadmium
 - Carcinogen by inhalation
- Nickel
 - Carcinogen by inhalation, skin sensitizer

Toxins linked to soldering/brazing

- Some metal fumes released
 - Lead, cadmium, silver, nickel
 - Not a problem if good ventilation is provided
- Fluoride-based flux
 - Toxic
 - Bone and teeth defects

Photo © www.mountainmade.com
Used with permission

Use a fluoride-free, borax flux Safer pickle options?

- Citric acid
- Acetic acid (vinegar) and salt

King County photos by Dave Waddell

Make your pickle last!

- Avoid contamination!
- Just add a bit of water to replace evaporation

Acid puts copper in solution

It's not OK to pour it down the drain
Most artists neutralize before disposal

Neutralizing doesn't remove copper
which is extremely toxic to fish

Photo © Derek Gavey. Used within rights expressed at www.flickr.com/photos/derekgavey/5990702434/

Painting & Drawing Aqua Oils

Mix of vegetable oil, detergent, metallic
soap drier and pigment

Oil drier
Combustible, toxic, sensitizer

Prevent rag fires

Linseed oil

- Low toxicity
- Causes spontaneous rag fires

Safer oil-paint brush cleaners

Photo: Dave Waddell

Safer substitutes - Printmaking

- Plates that don't require a nitric acid etch
- Gamsol-like odorless thinners
- Disposable screens for screen printing
- Water-based film-adhering fluids

Safer substitutes - Glassworking

- Cullet instead of powdered glass
- Wet grinding and cutting
- Bead blasting instead of acid etching

What is hazardous?

- Corrosive
- Toxic
- Flammable
- Reactive

What is waste?

- Don't want it
- Can't use it
- Unknown
- Orphaned
- Spilled

King County photo by Dave Waddell

What's **not** hazardous waste?

- Something that's still useful
- Empty containers
- Things that are hazardous but not chemicals

Public domain: <http://www.innocentenglish.com/funny-pics/dolcats/ninja-cat-pic.jpg>

Handle wastes properly

- Securely store them
- Separate these incompatibles
 - Acids in separate cabinet
 - Flammables in separate cabinet
 - Bleach away from ammonia

Reduce your waste generation – And your disposal costs!

- Buy only what you need
- Use it all up
- Select non-hazardous products
- See if others can use viable art products you no longer need